

Message

From: Emilsson, Gunnar [EmilssonGR@cdmsmith.com]
Sent: 6/6/2018 9:03:28 PM
To: Cirian, Mike [Cirian.Mike@epa.gov]
Subject: FW: CFAC Background SAP - Responses to EPA Comments

Importance: High

Hi Mike:

Deliberative Process / Ex. 5

Thanks,
Gunnar

From: Sloan, Richard <RSloan@mt.gov>
Sent: Wednesday, June 06, 2018 7:45 AM
To: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Cirian.Mike@epa.gov
Cc: Berry, David <Berry.David@epa.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Woodbury, Lynn <woodburyl@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>; Balliew, Carolina <Carolina.Balliew@mt.gov>
Subject: RE: CFAC Background SAP - Responses to EPA Comments

Deliberative Process / Ex. 5

Thank you.
Dick Sloan

From: Emilsson, Gunnar [mailto:EmilssonGR@cdmsmith.com]
Sent: Tuesday, June 05, 2018 1:58 PM
To: Cirian.Mike@epa.gov
Cc: Berry, David <Berry.David@epa.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Sloan, Richard <RSloan@mt.gov>; Woodbury, Lynn <woodburyl@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>
Subject: FW: CFAC Background SAP - Responses to EPA Comments

Mike:

Deliberative Process / Ex. 5

Gunnar Emilsson, P.G., P.E., BCEE
Project Manager
CDM Smith
50 West 14th St., Suite 200, Helena, MT 59601
T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982
emilssongr@cdmsmith.com
<http://cdmsmith.com>

From: Coan, Sean
Sent: Tuesday, June 05, 2018 1:53 PM
To: Woodbury, Lynn <woodburyl@cdmsmith.com>; Emilsson, Gunnar <EmilssonGR@cdmsmith.com>
Subject: RE: CFAC Background SAP - Responses to EPA Comments

Deliberative Process / Ex. 5

-Sean

From: Woodbury, Lynn
Sent: Tuesday, June 05, 2018 12:52 PM
To: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>
Cc: Coan, Sean <CoanSM@cdmsmith.com>
Subject: RE: CFAC Background SAP - Responses to EPA Comments

My two cents...

- 1) The response adequately addresses the comment.
- 2) The response provides the requisite detail to support the selection of an N of 10 samples based on a Form I Background Test. This information should be added to the SAP (the comment does not indicate they intend to add this to the SAP). However, there is no discussion of whether an N of 10 samples will be adequate to support a Form 2 Background Test, which is something I also recommended during the call. That being said, Roux could continue with the collection of 10 samples per area provided that they understand they do so at their own peril. It is possible subsequent power calculations may determine the sample size is not adequate to support decision-making (and EPA may require additional background data collection in the future to address this data limitation).
- 3) The response adequately addresses the comment.
- 4) The response adequately addresses the comment.
- 5) The response adequately addresses the comment.

My recommendation is that Mike approve the sampling for tomorrow with the above caveat. Sean – thoughts?
Lynn

+++++

Lynn Woodbury | CDM Smith | 555 17th Street, Suite 500 | Denver, CO 80202 | direct: 303.383.2382 | fax: 303.308.3003 |
woodburyL@cdmsmith.com

From: Emilsson, Gunnar
Sent: Tuesday, June 5, 2018 1:27 PM
To: Woodbury, Lynn <woodburyl@cdmsmith.com>
Cc: Coan, Sean <CoanSM@cdmsmith.com>
Subject: FW: CFAC Background SAP - Responses to EPA Comments
Importance: High

Lynn:

Please review, and let me know if Roux's responses are adequate so I can tell Mike. They are hoping to begin sampling tomorrow if Mike approves.

Thanks,
Gunnar

From: Laura Jensen <ljensen@rouxinc.com>

Sent: Tuesday, June 05, 2018 12:53 PM

To: Cirian, Mike <Cirian.Mike@epa.gov>

Cc: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Sanchez, Brian <sanchez.brian@epa.gov>; Berry, David <Berry.David@epa.gov>; Dick Sloan <rsloan@mt.gov>; John.Stroiazzo@glencore.ca; Steve Wright - CFAC <swright@cfaluminum.com>; Skipper, Sherry <Skipper.Sherry@epa.gov>; Andrew Baris <abaris@rouxinc.com>; Michael Ritorto <mritorto@rouxinc.com>

Subject: CFAC Background SAP - Responses to EPA Comments

Mr. Cirian,

On behalf of CFAC, Roux is providing the attached responses to EPA comments on the Background Investigation SAP for the RI/FS. These responses were discussed during our conference call on June 1, 2018.

In accordance with the project schedule, we planned to start the surface water sampling scope tomorrow during the current high water season. Therefore, we are requesting conditional approval to proceed with the background surface water sampling scope. We understand that additional comments related to background scope are still being prepared.

Please feel free to contact me if you have any questions regarding this submittal.

Laura Jensen, P.G. – NY | Project Hydrogeologist

209 Shafter Street, Islandia, New York 11749

Main: (631) 232-2600 | Direct: (631) 630-2358

Email: ljensen@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



🖨 Please consider the environment before printing this email

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.